



BY APPOINTMENT
TO HER MAJESTY THE QUEEN
MANUFACTURERS OF LEATHER
J. HEWIT & SONS LTD. EDINBURGH

J Hewit & Sons Ltd

LEATHER MANUFACTURERS



12 Nettlehill Road
Livingston
WEST LOTHIAN
EH54 5DL

Tel : +44 (0) 1506 444160
Fax: +44 (0) 1506 437749
sales@hewit.com
www.hewit.com

HEALTH AND SAFETY AND TECHNICAL INFORMATION

Backus Bookcloth Cleaner

Revision Date - June 2018

IDENTIFICATION

- 1.1 Product: Backus Bookcloth Cleaner
- 1.2 J Hewit & Sons Edinburgh

DIRECTIONS FOR USE

Apply with a soft cotton cloth, lightly rubbing in all directions until the surface is evenly revived. Finish with a clean soft cloth or a short-haired soft brush, rubbing in the direction of the weave of the fabric cover.

COMPOSITION INFORMATION

- 2.1 Chemical Nature: Hydrocarbon solvent, Ammonium Hydroxide, Emulsion

HAZARDS IDENTIFICATION

- 3.1 Nature of Hazard: Flammable

FIRST AID MEASURES

- 4.1 Eye Contact: Flush for up to 10 minutes, if irritation persists seek medical advice.
- 4.2 Skin Contact: Wash with soap and water, if irritation occurs we recommend seeking medical advice.
- 4.3 Inhalation: Remove to fresh air, if problematic symptoms occur seek medical advice.
- 4.4 Ingestion: Do not induce vomiting, seek medical advice immediately.

FIRE EXTINGUISHING MEASURES

- 5.1 Extinguishing Media: Foam CO2, Powder.
- 5.2 Unsuitable extinguishing media: water.
- 5.3 Unusual fire and explosion hazard: none.
- 5.4 Protective Equipment: Solvent resistant apparel.

ACCIDENTAL RELEASE MEASURES

- 6.1 Personal Precautions: Solvent resistant apparel.
- 6.2 Environmental Precautions: Do not allow material to enter water courses or flow onto open soil.
- 6.3 Clean up Procedures: Absorb with inert material. Sweep/scrape up into solvent resistant containers for disposal.

HANDLING AND STORAGE

- 7.1 Handling: Keep away from heat and ignition sources.
- 7.2 Storage: other than keeping away from heat and ignition sources, normal warehousing.

EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Respiratory Protection: Use in ventilated area.

8.2 Hand Protection: If use is prolonged solvent resistant gloves are recommended.

8.3 Eye Protection: None required.

8.4 Skin Protection: Normal warehouse overalls are adequate, once contaminated launder before reuse.

PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance @ 20 degrees C: Off white opaque liquid.

9.2 Odour: Ammonia.

9.3 Density @ 20 degrees C: 0.88g/cm³

9.4 PH (as is): 9.

9.5 Boiling Point: 100 degrees C.

9.6 Flash Point 38 degrees C.

9.7 Auto flammability: 260 degrees C.

9.8 Solubility in water: Soluble.

9.9 Freezing Point: <0 degrees C.

STABILITY AND REACTIVITY

10.1 Conditions to avoid: Heat and ignition sources.

10.2 Materials to avoid: Strong oxidising agents.

10.3 Hazardous Decomposition Products: none detected.

10.4 Stability: stable.

TOXICOLOGICAL INFORMATION

11.1 Skin toxicity: no data

11.2 Eye toxicity: no data

11.3 Ingestion toxicity: no data

11.4 Inhalation toxicity: no data

11.5 Long term exposure effects: no data

ECOLOGICAL INFORMATION.

12.1 Biodegradability: readily biodegradable

12.2 Aquatic toxicity: May be slightly toxic to aquatic species.

DISPOSAL CONSIDERATION

13.1 Method: in accordance with local and EEC legislation.

TRANSPORT INFORMATION

14.1 UN No. 1263. Shipping name: Paint related material. Packing group III.

14.2 Class: ADR/RID: 3, IMDG: 3, ICAO: 3.

REGULATORY INFORMATION

15.1 Classification: Flammable Liquid (paint)

15.2 Risk Phrases: R10, R66, R36/38. R51/53

15.3 Safety Phrases: S2, S16, S24/25

15.4 Labelling: Flammable.

NB: The information supplied is, to the best of knowledge, true and accurate, but recommendations or suggestions made are without guarantee since the conditions of use are beyond our control.